

BAB VI PENUTUP

Bab ini berisi simpulan hasil pembahasan yang telah dijelaskan oleh peneliti dan saran yang berguna untuk mengembangkan praktik keperawatan medikal bedah.

6.1 Simpulan

Penelitian ini dilakukan untuk mencari gambaran secara mendalam tentang aspek multidimensi kualitas hidup pasien kanker yang memperoleh reiki. Subtema yang teridentifikasi memperlihatkan bahwa ada pengaruh pemberian terapi reiki terhadap kualitas hidup pasien kanker. Kualitas hidup pasien kanker dilihat dari enam dimensi, yaitu dimensi fisik, psikologis, tingkat kemandirian, sosial, lingkungan dan spiritual.

6.1.1 Dimensi Fisik

Dimensi fisik merupakan dimensi yang mengalami peningkatan paling tinggi dibanding lima dimensi lainnya. Semua partisipan mempunyai pengalaman bahwa terapi reiki membantu menurunkan bahkan menghilangkan keluhan kanker. Perubahan lain yang disampaikan partisipan pada dimensi fisik kualitas hidup pasien kanker yang memperoleh terapi reiki antara lain peningkatan kenyamanan fisik, peningkatan energi dan peningkatan kualitas tidur dan istirahat. Subtema yang merupakan temuan baru berdasarkan hasil wawancara adalah subtema penurunan keluhan penyakit kanker.

6.1.2 Dimensi Psikologi

Dimensi psikologis merupakan dimensi ketiga yang mengalami peningkatan paling tinggi setelah dimensi fisik dan dimensi tingkat kemandirian. Separuh partisipan mempunyai pengalaman bahwa terapi reiki akan meningkatkan kemampuan berpikir positif, meningkatkan kepercayaan diri, meningkatkan konsentrasi, meningkatkan semangat hidup, dan meningkatkan harga diri. Sementara salah satu partisipan mempunyai pengalaman bahwa terapi reiki juga dapat menurunkan perasaan negatif. Subtema yang

merupakan temuan baru berdasarkan hasil wawancara adalah subtema peningkatan semangat hidup. Beberapa peningkatan pada dimensi psikologis dipengaruhi oleh perubahan pada dimensi fisik.

6.1.3 Dimensi Tingkat Kemandirian

Dimensi tingkat kemandirian merupakan dimensi kedua yang mengalami peningkatan setelah dimensi fisik. Lebih dari separuh partisipan mempunyai pengalaman bahwa terapi reiki mampu meningkatkan kemandirian dalam menjalankan aktifitas sehari-hari, seperti mandi, berpakaian, makan, dan lain-lain. Selain peningkatan pada tingkat kemandirian, partisipan juga menyampaikan bahwa terapi reiki juga mampu menurunkan ketergantungan terhadap pengobatan dan meningkatkan kemampuan bekerja.

Peningkatan pada dimensi tingkat kemandirian pasien kanker sangat terkait dengan peningkatan dimensi fisik. Peningkatan tingkat kemandirian pasien kanker tersebut akan berdampak pada kualitas hidup yang lebih baik.

6.1.4 Dimensi Sosial

Dimensi sosial merupakan dimensi kelima yang mengalami peningkatan setelah dimensi fisik, dimensi tingkat kemandirian, dimensi psikologis, dan dimensi spiritual. Lebih dari separuh partisipan mempunyai pengalaman bahwa terapi reiki dapat meningkatkan kualitas hubungan sosial, baik hubungan interpersonal, hubungan dengan keluarga maupun hubungan dengan masyarakat. Perubahan lain pada dimensi sosial terkait kualitas hidup adalah pola hubungan seksual yang harmonis, dan keinginan untuk berbagi dengan sesama. Subtema yang merupakan temuan baru berdasarkan hasil wawancara adalah subtema berbagi dengan sesama. Kemampuan pasien kanker dalam mempertahankan hubungan sosial yang baik akan membantu dalam meningkatkan kualitas hidupnya.

6.1.5 Dimensi Lingkungan

Dimensi lingkungan merupakan dimensi yang mengalami peningkatan paling rendah dibanding lima dimensi lainnya. Partisipan

mempunyai pengalaman bahwa terapi reiki mempunyai pengaruh terhadap peningkatan kenyamanan lingkungan. Partisipan menggambarkan kenyamanan lingkungan tersebut seperti kemampuannya beradaptasi terhadap perubahan lingkungan seperti kebisingan dan kemampuannya menciptakan lingkungan yang lebih kondusif.

6.1.6 Dimensi Spiritual

Dimensi spiritual merupakan dimensi keempat yang mengalami peningkatan setelah dimensi fisik, dimensi tingkat kemandirian dan dimensi psikologis. Dimensi spiritual yang dimaksudkan dalam penelitian ini terkait dengan nilai, keyakinan, harapan dan kedekatan hubungan dengan Tuhan.

Semua partisipan mempunyai pengalaman bahwa terapi reiki mampu meningkatkan kepercayaan kepada Tuhan. Peningkatan kepercayaan kepada Tuhan ini diwujudkan dengan lebih mendekatkan diri kepada Tuhan dan lebih tekun beribadah. Selain peningkatan kepercayaan kepada Tuhan, partisipan juga mempunyai pengalaman bahwa terapi reiki juga meningkatkan ketenangan hati dan meningkatkan rasa syukur kepada Tuhan. Subtema baru yang ditemukan dalam wawancara adalah subtema hati lebih tenang.

6.1.7 Pengaruh Reiki Terhadap Enam Dimensi Kualitas Hidup

Reiki dapat meningkatkan kualitas hidup pasien kanker pada enam dimensi, yaitu dimensi fisik, psikologis, tingkat kemandirian, sosial, lingkungan dan spiritual. Peningkatan dimensi yang paling dominan dirasakan pasien kanker secara berurutan adalah peningkatan pada dimensi fisik, tingkat kemandirian, psikologis, spiritual, sosial dan lingkungan.

Dimensi kualitas hidup saling terkait dan saling mempengaruhi. Peningkatan pada dimensi fisik akan mempengaruhi peningkatan pada dimensi tingkat kemandirian, dimensi psikologis, dan dimensi sosial. Peningkatan pada dimensi psikologis akan mempengaruhi peningkatan pada dimensi sosial dan dimensi spiritual. Peningkatan

dimensi sosial tersebut akan mempengaruhi peningkatan dimensi lingkungan.

6.2 Saran

6.2.1 Bagi Pelayanan Keperawatan Medikal Bedah

1. Pelatihan terapi reiki bagi perawat sehingga lebih banyak perawat yang mampu menerapkan reiki pada pasien kanker.
2. Penyusunan kebijakan terkait pemberian terapi komplementer khususnya terapi reiki sehingga perawat mampu menjalankan praktik reiki secara mandiri.
3. Perawat memberikan perhatian akan kualitas hidup pada pasien kanker.
4. Perawat mengeksplorasi kualitas hidup pada pasien kanker secara mendalam.

6.2.2 Bagi Pendidikan Keperawatan

Pengembangan kurikulum terapi komplementer khususnya terapi reiki.

6.2.3 Bagi Penelitian Selanjutnya

1. Pengembangan kajian ilmiah atau penelitian khususnya jenis penelitian kualitatif. Jenis penelitian kualitatif diharapkan dapat mengembangkan konsep terapi reiki secara lebih luas.
2. Pengembangan penelitian kualitatif terkait kualitas hidup pada *survivor* kanker dengan menggunakan metode pengumpulan data *Focus Group Discussion* (FGD).

6.2.4 Bagi Pasien

1. Pemberian motivasi kepada pasien kanker untuk memperhatikan kualitas hidupnya dan mencari informasi terkait kualitas hidup pasien kanker melalui seminar atau *workshop*.
2. Pengenalan terapi reiki untuk meningkatkan kualitas hidup pasien kanker.

DAFTAR PUSTAKA

- Abeles, P. D. (2007). Measuring Patient Dependency in Child and Adolescent Mental Health. *British Journal of Nursing Vol 16* , 1064-1072.
- American Cancer Society. (2013, September 29). *What are the key statistics about nasopharyngeal cancer*. Retrieved Juni 2, 2014, from nasopharyngeal cancer:
<http://www.cancer.org/cancer/nasopharyngealcancer/detailedguide/nasopharyngeal-cancer-key-statistics>
- American Cancer Society. (2013, 9 23). *Nasopharyngeal Cancer*. Retrieved 5 25, 2014, from <http://www.cancer.org/acs/groups/cid/documents/webcontent/003124-pdf.pdf>
- Arifin, S. (2010, Februari 25). *Psychology Concept and Education Psychology*. Retrieved Maret 10, 2014, from <http://www.slideshare.net/nurafeefaalisha/psychology-concept-and-education-psychology>
- Arikunto, S., (2010), *Prosedur Penelitian*, Penerbit Rineka Cipta, Jakarta.
- Ariwibowo, H. (2013). Faktor Risiko Karsinoma Nasofaring. *CDK-204/Vol.40 no, 5* , 348 - 351.
- Avis, Nancy.E., et al (2005). *Assessing Quality of Life in Adult Cancer Survivors (QLACS)*. *New England Research Institutes.*, <http://www.psy.miami.edu/faculty/ccarver/documents/p05QOLR.pdf>. Diperoleh 26 Februari 2014
- Baird, S.B., McCorkle, R. & Grant, M. (1991). *Cancer Nursing, A Comprehensive Textbook*. Philadelphia: WB Saunders Company
- Barcala, G. (2012). Factors associated with health-related quality of life in adults with asthma. A cross-sectional study. *Multidisciplinary Respiratory Medicine Journal*, 32 – 42
- Barwais, F. (2011, Februari 28). *Definitions of Wellbeing, Quality of Life and Wellness*. Retrieved Maret 9, 2014, from <http://nwia.idwellness.org/2011/02/28/definitions-of-wellbeing-quality-of-life-and-wellness/>
- Bennett, S. (2007). *Published research into reiki healing*, http://www.soothes.co.uk/USERIMAGES/reiki_published_research.pdf, Diperoleh 23 Desember 2013
- Black, Joyce. (2009). *Medical – Surgical Nursing: Clinical Management for Positive Outcomes*. Singapore: Saunders Elsevier

- Bray, F. H. (2008). Cancer Epidemiology Biomarkers & Prevention: Age-Incidence Curves of Nasopharyngeal Carcinoma Worldwide: Bimodality in Low-Risk Populations and Aetiologic Implications. *AACR Journal* , 2356 - 2365.
- Bungin, Burhan, H.M. (2012). *Penelitian Kualitatif Edisi Kedua*. Jakarta: Kencana Prenada Media Grup.
- Burden, B. H.-M. (2005, Mei 11). *The Increasing Use of Reiki as a Complementary Therapy in Specialist Palliative Care*. Retrieved Agustus 8, 2014, from PubMed US National Library of Medicine National Institute of Health: <http://www.ncbi.nlm.nih.gov/pubmed/15944500>
- Cash, K. (2006). *Making Sense of Spiritualaity in Nursing and Health Care Practice*. Philadelphia: Wilfred McSherry.
- Center for Desease Control and Prevention. (2013, Maret 6). *Health Related Quality of Life*. Retrieved Juli 20, 2014, from Well-being Concepts: <http://www.cdc.gov/hrqol/wellbeing.htm>
- Chang, J. (2007). Complementary, Alternative, and Integrative Therapies in Oncology: Introduction. In J. Chang, *Principles and Practice of Palliative Care and Supportive Oncology*.
- Collier, Z. (2009, Oktober 6). *Health Psychology Home Page*. Retrieved Agustus 1, 2014, from The Impact of Reiki in Controlling Stress and Depression: <http://healthpsych.psy.vanderbilt.edu/2009/Reiki.htm>
- Conn, I.G. (2001). <http://www.kompas.com> Diperoleh 27 Februari 2014
- Corwin, E. J. (2001). *Buku Saku Patofisiologi*. Alih Bahasa Pendit, B. U. Jakarta : EGC
- Craven, R.F. & Hirnle, C.J. (2007). *Fundamental of nursing: Human health and function*, Ed6, New York: Lippincott Williams & Wilkins
- Demir, Melike, et al (2013). Effect of Reiki on Symptom Management in Oncology. *Asian Pacific Journal of Cancer Prevention*, Vol 14. http://www.apocpcontrol.org/paper_file/issue_abs/Volume14_No8/4931-4933%204.15%20Melike%20Demira%20%28COMMENTARY%29.pdf. Diperoleh 03 Maret 2014
- DiNucci, E. M. (2005). *Energy healing: A complementary treatment for orthopaedic and other conditions*, <http://proquest.umi.com/pqdweb?index=5&did=1280191961&SrchMode=1&sid=5&Fmt=3&VInst=PROD&VType=PQD&RQT=309&VName=PQD&TS=1202445233&clientId=45625>, Diperoleh 8 Februari 2014

- Dossey, B.M., Keegan, & Guzzetta, C.E. (2005). *Holistic nursing: a handbook for practice*. London: Jones and Barlet Publisier
- Drake, K. (2012). Quality of Life for Cancer Patient: from Diagnosis to Treatment and Beyond. In R. Scott, *Nursing Management* (pp. 20-25). Lippincott Williams and Wilkins
- Drummond, F. K. (2013, November 6). *Time since diagnosis and health related quality of life in prostate cancer survivors in Ireland*. Retrieved Maret 11, 2014, from National Cancer Research Institute: <http://conference.ncri.org.uk/abstracts/2013/abstracts/A175.htm>
- Effendi, T. (2007). *Aplikasi Reiki dalam Mencapai Tingkat Master*, Jakarta: PT Elex Media Komputindo
- Egyptianreiki. (2005). *Clinical Trials and Studies on the Effectiveness of Reiki in Health Related Problems*. Retrieved Agustus 1, 2014, from Clinical Studies on Reiki: <http://www.egyptianreiki.com/clinical-studies-on-reiki-and-its-effectiveness.html>
- Federation, U. R. (2013, Februari 12). *Reiki*. Retrieved from Cancer Research UK: <http://www.cancerresearchuk.org/cancer-help/about-cancer/treatment/complementary-alternative/therapies/reiki>
- Fitriana, Nimas Ayu & Ambarini, Tri Kurniati (2012). Kualitas Hidup Pada Penderita Kanker Serviks Yang Menjalani Pengobatan Radioterapi., *Jurnal Psikologi Klinis dan Kesehatan Mental*., http://journal.unair.ac.id/filerPDF/110810265_11v.pdf
- Galloway, S. (2006). Quality of Life and Well-Being: Measuring the Benefits of Culture and Sport. *Scottish Executive Social Research*, 4-97
- Garison, N.L. (2005). *The effect of reiki on the level of free radicals*, <http://www.holosuniversity.net/pdf/garrisonDissertation.pdf>, Diperoleh 27 Januari 2014
- Gourman, A. (2005). *The seven major chakras*. <http://www.thehealingpages.com/Articles/The7MajorChakras.html>, Diperoleh 23 Desember 2013
- Gross, A. (2007). Prevalence and Predictors of Complementary Therapy Use in Advanced-Stage Breast Cancer Patients. *Journal of Oncology Practice* , 292 - 295.
- Guyton, A.C. (1996). *Human physiology and mechanism of disease*. Alih bahasa Andrianto, P., Jakarta: EGC

- Health, D. o. (2014, Maret 31). *Nasopharyngeal Cancer*. Retrieved Juni 2, 2014, from Center of Health Protection: <http://www.chp.gov.hk/en/content/9/25/54.html>
- Hertogs, R. (2014). Retrieved Agustus 1, 2014, from What Happens After Attunement: <http://www.rachaelhertogs.co.uk/reikiafterattunement.shtml>
- Heydarnejad, M. D. (2011). Factors Affecting Quality of Life In Cancer Patients Undergoing Chemotherapy. *African Health Sciences Journal*, 266 - 270
- Holloway, I. (1996). *Qualitative Research For Nurses*. London: Blackwell Science.
- Howard, V. (2001, Agustus 23). *A Holistic Approach to Pain*. Retrieved Juli 6, 2014, from Nursing Times: <http://www.nursingtimes.net/a-holistic-approach-to-pain/200675.article>
- Hsu, C. S.-C. (2006). Cancer Epidemiology, Biomarks & Prevention: Difference in the Incidence Trend of Nasopharyngeal and Oropharyngeal Carcinomas in Taiwan: Implication from Age-Period-Cohort Analysis. *AACR Journal* , 856 - 861.
- International Agency for Research on Cancer. (2013). Latest World Cancer Statistics. *International Agency for Research on Cancer* , 1-3.
- Ishaq, I.I. (2002). *Mengenal usui reiki I & II intensif: Sebagai penyembuhan ilahiah*, Delapratasa Publishing
- Iskandar. (2009). *Metodologi Penelitian Kualitatif*. Jakarta: Gaung Persada Press.
- Jabareen, Y. (n.d.). Building a Conceptual Framework: Philosophy, Definitions and Procedures. *International Journa; of Qualitative Method* , 49- 62
- Janzen, K. (2012, Desember). *Extending the Spirit: A Qualitative Secondary Analysis on Nurses*. Retrieved Juli 6, 2014, from Trinity Western Study: http://www.twu.ca/library/theses/228884_pdf_220064_61C31320-02E8-11E3-B30D-455AEF8616FA_janzen_k.pdf
- Jayasinghe, U. H. (2013). Gender differences in health-related quality of life of Australian chronically-ill adults: patient and physician characteristics do matter. *Health and Quality of Life Outcomes*, 102 - 112
- Jemal, A. e. (2011). Global Cancer Statistic. *CA Cancer Journal CLIN Vol. 61*, No. 2 , 69 - 90.
- Jones, M. (2007). *Using Software to Analyse Qualitative Data*. *Research Online* , 429.
- Kar, AzmiSariadj (2008). Pengaruh Anemia PadaKankerTerhadapKualitasHidup Dan HasilPengobatan. Medan :Universitas Sumatera Utara

- Kasjono, HS., Yasril. (2009). *Teknik Sampling untuk Penelitian Kesehatan*. Yogyakarta: Graha Ilmu
- Kerr., W. (2007, Januari 13). *Cortical dynamics as a therapeutic mechanism for touch healing*. Retrieved Agustus 26, 2014, from PubMed: <http://www.ncbi.nlm.nih.gov/pubmed/17309379>
- Kolcaba, K. (2003). *Comfort Theory and Practice: a Vision for Holistic Health Care*. New York: Springer Publishing Company.
- Korstjens, Irene., et al (2008). *Quality of Life After Self-Management Cancer Rehabilitation: A Randomized Controlled Trial Comparing Physical and Cognitive-Behavioral Training Versus Physical Training*., http://www.researchgate.net/publication/5371712_Quality_of_life_after_self-management_cancer_rehabilitation_a_randomized_controlled_trial_comparing_physical_and_cognitive-behavioral_training_versus_physical_training/file/9fcfd50942c5778bae.pdf. Diperoleh 26 Februari 2014
- Lewis, S.M, Heitkemper, M.M., & Dirksen, S.R. (2004). *Medical Surgical Nursing*, Volume 1 dan 2. St. Louis, Missouri: Mosby
- Lutterbeck, B. *Reiki energy therapi*, <http://www.reiki-masterteacher.com/What%20to%20Expect%20Brochure.pdf>, Diperoleh 23 Februari 2014
- Marriner - Tomey and Alligood (2010), *Nursing theorists and their works*, Seventh Edition, St. Louis Mosby Elsevier, Inc
- Mason, M. (2010, September). *Sample Size and Saturation in PhD Studies Using Qualitative Interviews*. Retrieved Maret 5, 2014, from Forum: Qualitative Social Research: <http://www.qualitative-research.net/index.php/fqs/article/view/1428/3027>
- Masumoto, S. Y. (2013, November 22). *Factors associated with health-related quality of life among pulmonary tuberculosis patients in Manila, the Philippines*. Retrieved Maret 10, 2014, from <http://www.ncbi.nlm.nih.gov/pubmed/24264802>
- Matthew, E. (2009). Relationship Among Optimism, Well-Being, Self-Transcendence, Coping, and Social Support in Women During Treatment for Breast Cancer. *PSYCHOONCOLOGY*, 716 - 726.
- McEwen, M., & Wills, M.E. (2007). *Theoretical basis for nursing* (2nd ed.). Philadelphia: Lippincott
- McKenzie, E. (2006). *Healing reiki*, alihbahasa Alexander S., London: Octopus Publishing Group Ltd

- Meurer, W. S. (2007). Quaitative Data Collection and Analysis Methods. *Academic Emergency Medicine* , 1064-1071.
- Miwako, H. (2008). Self-Transcendence, Vulnerability, and Well-Being in Hospitalized Japanese Elders. *Disertation to the Faculty of the College of Nursing*
- Mkanta, W. C. (2007). Age-related differences in quality of life in cancer patients: a pilot study of a cancer care coordination/home-telehealth program. *NCBI*, 434-440
- Moore, A. *Reiki energy medicine: Enhancing the healing process*, [http:// www.harthosp. org/ Portals/1/ Images/38/ReikiEnergyMedicine.pdf](http://www.harthosp.org/Portals/1/Images/38/ReikiEnergyMedicine.pdf), Diperoleh27 Februari 2014
- Murti, Bisma (2010). Desain Dan Ukuran Sampel Untuk Penelitian Kuantitatif Dan Kualitatif Di Bidang Kesehatan. Edisi Kedua. Yogyakarta : Gajah Mada University Press
- Natale, G. (2010). Reconnecting to Nursing Through Reiki. *Creative Nursing* , 171 - 176.
- National Centers for Complementary and Alternative Medicine. (2007). *An Introduction Reiki*, <http://nccam.nih.gov/health/reiki/reiki.pdf> ,Diperoleh8 Pebruari 2008
- National Health Interview Survey. (2007). Complementary and Alternative Medicine Us Among Adults and Children. *National Health Statistic Report* , 1 - 24.
- Nygren, B., Al  x, L., Jons  n, E., Gustafson, Y., Norberg, A., & Lundman, B. (2005). Resilience, Sense of Coherence, Purpose in Life and Self-Transcendence in Relation to Perceived Physical and Mental Health Among the Oldest Old. *Aging & Mental Health*, 9 (4), 354-362.
- Nilsson, J. (2005). Understanding health-related quality of life in old age. A cross-sectional study of elderly people in rural Bangladesh. *Aging Research Center*
- Noss, S. (2013, September 1). *MAnitou Wellness Center*. Retrieved Agustus 1, 2014, from 7 Health Benefits of Reiki: <http://www.manitouwellness.com/what-we-do/7-health-benefits-of-reiki/>
- Nurses Board Of Victoria. (2006). *Guideline for use of complementary therapies in nursing practice*. www.rnweb.com/rnweb/article. Diperoleh14 Februari 2014

- Nygren, B., Al  x, L., Jons  n, E., Gustafson, Y., Norberg, A., & Lundman, B. (2005). Resilience, sense of coherence, purpose in life and self-transcendence in relation to perceived physical and mental health among the oldest old. *Aging & Mental Health*, 9(4), 354-362
- Olson, Karin (2003). *A Phase II Trial of Reiki for the Management of Pain in Advanced Cancer Patients*. Diperoleh 26 Februari 2014
- Onwuebuze, A. (2012). *Qualitative Analysis Techniques for the Review of the Literature. The Qualitative Report* , 1-28.
- Otto, S.E. (2001). *Oncology Nursing*. St. Louis, Missouri: Mosby
- Oz, M. (2010). *Reiki Classes: What's Right for You?* Retrieved Agustus 8, 2014, from Reiki, Medicine, and Self Care with Pamela Miles: <http://reikiinmedicine.org/popular/reiki-classes-right-for-you/>
- Paddock, C. (2011, Oktober 31). *Measuring Quality Of Life Important In Cancer Survival Research*. Retrieved Juli 20, 2014, from Medical News Today: <http://www.medicalnewstoday.com/articles/236810.php>
- Polit & Hungler. (1999). *Nursing Research* 5th edition. Principals and Methods. Philadelphia : JB Lippincott
- Polit, D. B. (2012). *Nursing Research: Generating and Assessing Evidence for Nursing Practice*. China: Lippincott Williams & Wilkins.
- Polit, D. F. & Beck, C. T. (2012) *Essential of nursing research : methods appraisal and utilization*, (sixth edition. Lippincott Williams & Wilkins
- Polit, D.F. & Hungler, B.P. (2002). *Nursing Research: Principles and Methods* 6th edition. Philadelphia : Lippincott Williams & Wilkins.
- Porter, V. (2012). Effects of Reiki Treatment on Anxiety and Depression: A Randomized Control Trial. *Wholistic Healing Publication* , Vol 12, no. 2. 1 - 13.
- Powell, Taylor., Ellen, Renner. (2003). *Analyzing Qualitative Data. Cooperative Extension*. University of Wisconsin-Extension
- Pradono, J. (2009). Kualitas Hidup Penduduk Indonesia Menurut International Classification of Functioning, Disability and Health dan Faktor-Faktor yang Mempengaruhinya. *Buletin Penelitian Kesehatan RISKESDAS* .
- Priambodo, et al (2007). Kualitas Hidup Pasien Yang Menjalani Pemasangan Stoma Usus Di wilayah Kota Bandung. FIK Universitas Padjajaran

- Price, S.A., & Wilson, L.M. (2005). *Patofisiologi: Konsep klinis proses-proses penyakit*. Jakarta: EGC
- Psycho-Oncology Co-Operative Research Group. (2008, Mei 16). *Chemotherapy and Quality of Life*. Retrieved Juli 17, 2014, from PoCoG: <http://www.pocog.org.au/content.aspx?page=Chemotherapy>
- Purwanto, Budhi (2012). *Herbal dan Keperawatan Komplementer (Teori, Praktik, Hukum dalam Asuhan Keperawatan)*. Yogyakarta : NuhaMedika
- Rahayu, Siti. (2008). *Pengalaman Klien Kanker Payudara yang Menggunakan Terapi Komplementer di RS Kanker Dharma Jakarta*. Program Pascasarjana Fakultas Ilmu Keperawatan Universitas Indonesia.
- Rand, W.L. (2002). *Science and the human energy field*, <http://www.reiki.org/Download/OschmanReprint2.pdf>, Diperoleh 14 Januari 2014
- Rasdini, A. (2012). *Besar Pengaruh Dukungan Sosial Terhadap Kualitas Hidup. Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Udayana*.
- Riset Kesehatan Dasar (Riskesdas) 2013. Badan Penelitian Dan Pengembangan Kesehatan Kementrian RI
- Rogers, C. K. (2010, April 15). *NIH Public Access*. Retrieved October 2, 2013, from Roy's Adaptation Model to Promote Physical Activity: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2855388/>
- Rolando, R. *Reiki by Rolando*, <http://reikibyrolando.com/Documents/Reiki%20by%20Rolando.pdf>, Diperoleh 11 Februari 2014
- Rubin, Philip. (2001). *Clinical Oncology: A Multidisciplinary Approach for Physicians and Students*. 8th edition. Philadelphia: WB Saunders Company
- Salbiah. (2006). *Konsep Holistik Dalam Keperawatan Melalui Pendekatan Model Adaptasi Sister Callista Roy*. *Jurnal Keperawatan Rufaidah USU*, <http://repository.usu.ac.id/bitstream/123456789/21166/1/ruf-mei2006-2%20%287%29.pdf>.
- Sarwono, S. (2012). *Pengantar Psikologi Umum*. Jakarta: PT Raja Grafindo Persada.
- Saryono & Anggraeni, Mekar D. (2013). *Metodologi Penelitian Kualitatif dan Kuantitatif Dalam Bidang Kesehatan*. Yogyakarta: Nuha Medika.

- Septiwi, C. (2011). Hubungan Antara Adekuasi Hemodialisa dengan Kualitas Hidup Pasien Hemodialisa di RS Prof. Dr. Margono Soekarjo Purwokerto. *UI Library*.
- Sheldon, C. (2013). *Reiki for Holistic Health*. Retrieved Agustus 1, 2014, from Reiki Healing Health Benefits, Restore and Maintain Health Naturally: <http://www.reiki-for-holistic-health.com/>
- Shore, A. (2004). Long-Term Effects of Energetic Healing on Symptoms of Psychological Depression and Self-Perceived Stress. *Alternative Therapies*, 40 - 47.
- Sipio, T. (2009). Health-Related Quality of Life Among Breast Cancer Survivor. *Institute of Health and Biomedical Research, School of Public Health Queensland University of Technology*. Brisbane
- Sjahdeini, S.R. (2005). *Hidup sehat dengan reiki & energi-energi non reiki*, Jakarta: Gramedia Widiasarana Indonesia
- Smeltzer, S.C., Bare, B.G., Hinkle, J.L. & Cheever, K.H. (2008). *Brunner and Suddarth's Textbook of Medical Surgical Nursing, 11th edition*. Philadelphia: Williams & Wilkins
- Snyder, M. & Lindquist, R. (2002). *Complementary/ alternative therapies in nursing*, 4th Ed. Springer Publishing Company
- So, P. J. (2008, Oktober 8). *Touch Therapies for Pain Relief in Adults*. Retrieved from The Cochrane Library: <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD006535.pub2/abstract>
- Soegoro, R. (2002). *Hidup sehat dengan reiki*, Jakarta: PT Elex Media Komputindo
- Streubert, H. & Carpenter. (2003). *Qualitative reseacrh in nursing: A advicing the humanistic imperative. (3rd ed)*. Philadelphia: Lippincolt Williams & Wilkins.
- Sugiyono (2011). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung :Alfabeta
- Suardi, D. (2011, November). *Peran dan Dampak Terapi Komplementer/Alternatif Bagi Pasien Kanker*. Retrieved Juli 25, 2014, from CDK 188 Vol.38, No.7: http://www.kalbemed.com/Portals/6/34_188Opini%20Peran%20dan%20Dampak%20Terapi%20Kompementer%20bagi%20Pasien%20Kanker.pdf
- Suharsaputra, Uhar. (2012). *Metode Penelitian Kuantitatif, Kualitatif Dan Tindakan*. Bandung: Refika Aditama

- Supardi, Sudibyo&Rustika (2013). *Buku Ajar Metodologi Riset Keperawatan*. Jakarta: Trans Info Media.
- Susilo, Wilhelminus Harry &Limakrisna, Nandan (2012). *Biostatistika Lanjut Aplikasi Dengan SPSS Dan Lisrel Pada Ilmu Keperawatan*. Jakarta : TIM
- Susilo, Wilhelminus Harry (2012). *Statistika & Aplikasi Untuk Penelitian Ilmu Kesehatan*. Jakarta : TIM
- Susniene, D. J. (2009). The concept or Quaity of Life and Happiness - Correlation and Differences. *ISSN*, 58 – 66
- Tang, W.-R. L. (2004). Quality of Life in Hospice Patient with Terminal Illness. *Western Journal of Nursing Research*, 113-1128
- Thabane, Lehena (2004). Sample Size Determination In Clinical Trials, HRM-733 Class Notes, Biostatistician Center For Evaluation Of Medicine St. Joseph's Heatcare, 105 Main Street East, Level P1 Hamilton ON L8N 1G6.<https://fammedmcmaster.ca/research/files/sample-size-calculations>. Diperoleh 26 Februari 2014
- Tomey, A.M. & Aligood, M.R. (2006). *Nursing theorits and their work*, 4thEd. St.Louis: Mosby
- Tsang, K. (2007). Pilot Crossover Trial of Reiki Versus Rest for Treating Cancer-Related Fatigue . *Integrative Cancer Therapies* , 108- 196
- Universitas Toronto (2004). QoL Concept. Diakses pada website <http://www.utoronto.ca/qolconcept>. pada tanggal 28 Februari 2014
- Vahedi, Shahrum (2010). *World Health Organization Quality-of-Life Scale (WHOQOL-BREF): Analyses of Their Item Response Theory Properties Based on the Graded Responses Model.*, *Iran J Psychiatry.*, [http:// www.ncbi.nlm.nih.gov/pmc/articles/ PMC3395923/ pdf/ IJPS- 5- 140. pdf](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3395923/pdf/IJPS-5-140.pdf). Diperoleh 26 Februari 2014
- Valdezate, D. V. (2012, Agustus). *Factors associated with health-related quality of life in a cohort of Spanish breast cancer patients*. Retrieved Maret 10, 2014, from Springer Link: <http://link.springer.com/article/10.1007%2Fs12282-012-0402-x>
- Vitale, A. (2007). *An integrative review of reiki touch therapy research*, <http://www.nursingcenter.com/pdf.asp>, Diperoleh 23 Februari 2014
- Wardell, D.W. & Engebretson, J. (1996). Biological correlates of reiki touch. *Journal of advanced nursing*, 33 (4), 439-445

Waskita. (2009, Oktober 25). *Sejarah Reiki dan Perkembangannya*. Retrieved from Waskita Reiki: <http://www.oocities.org/waskitareiki/sejar.htm>

WHO (2014). *Cancer*.<http://www.who.int/mediacentre/factsheets/fs297/en/#>. Diperoleh 26 Februari 2014

WHO Quality of Life-BREF, (1998) ,http://www.who.int/substance_abuse/research_tools/whoqolbref/en diperoleh tanggal 15 Pebruari2014

WHO (2012). WHOQoL User Manual. Division of Mental Health and Prevention of Substance Abuse World Health Organization.

Wilkinson, J. M. (2007). *Nursing diagnosis handbook with NIC interventions and NOC outcome*, alih bahasa Widiawati, et al, Jakarta: EGC